



$$A = \frac{1}{n} \sum_{i=1}^n x_i$$

$$S^2 = \frac{1}{n} \sum_{i=1}^n x_i^2 - \left(\frac{1}{n} \sum_{i=1}^n x_i \right)^2$$

$$S = \sqrt{S^2}$$

Behavioral and Skin Cond c ance Re l . A a a a
 (F A a B Methods
 A a a A a a
 (a a a a a a
 (- a a a a a a
 a / (a - F a a a
 a a a (a % a a
 a a A a a a
 a (a a a
 a a a a
 a a a a (S L (a a
 a a a a S L
 a a a a a a (a
 a a a a ± a a
 a S L a a a (a
 a a a a A x

Re l

Beha ioral and Skin Cond c ance Re l . A a a a
Methods
 A a a A a a
 (a a a a a a
 (- a a a a a a
 a / (a - F a a a
 a a a (a % a a
 a a A a a a
 a (a a a
 a a a a
 a a a a (S L (a a
 a a a a S L
 a a a a a a (a
 a a a a ± a a
 a S L a a a (a
 a a a a A x

(87). A s s, 1- g s 3D MDEF s m_g
(1 mm³) s g s

fMRI Anal i . D ss g 9 s m s g PM8
(.k s, m). EPI m_g s s s s g s

30. B D., . (2014) H m s s
Curr Biol 24:541-547.

31. K A, E , K s A (2014) Em ss g g

